

SUPER HIGH GLOSS



Class in every Square

Collection_2023



About us /

At Top-notch tiles, building quality is our top priority, and it speaks for itself. Since our establishment in 2010, we have remained committed to delivering superior products to our valued clients. We understand that quality starts right from the selection of the finest raw materials for our products and continues throughout the entire manufacturing process. Our skilled labour meticulously oversees every step of production, ensuring that each product meets our high standards. We believe in the power of micro management to maintain consistent quality and address any potential issues promptly.

Innovation is at the core of our company's values, and our dedicated Research and Development team continuously explores new surfaces and designs. By closely examining various application aspects, we create dynamic designs and vibrant colors that captivate the senses. With a strong focus on quality and innovation, we take pride in offering products that not only meet but exceed our clients' expectations.

Our commitment to excellence drives us to deliver exceptional building materials that stand the test of time and enhance the aesthetic appeal of any project.





Message from Directors:

|

Top-notch tiles operates its manufacturing plant in India, along with corporate offices in London and Ahmedabad. We take great pride in our ability to deliver an exceptional level of service satisfaction to our valued clients. At the core of our operations is a relentless commitment to exceeding customer expectations.

We believe in going above and beyond to ensure that our clients receive the highest level of service possible. Our dedication to providing an optimum level of service sets us apart from others in the industry. When you choose our company, you will experience the difference in our unwavering commitment to meeting your needs. We strive to build long-lasting relationships with our clients by delivering exceptional service, prompt communication, and reliable support. Your satisfaction is our top priority, and we work tirelessly to ensure that we consistently meet and exceed your expectations.

Whether you require our products or services, you can trust us to provide an unparalleled level of commitment and dedication. We are confident that once you experience our level of service, you will see why we stand out from the competition.



Available
Format /






Available
Thickness /



9mm



△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT



THUNDER CLOUD




STORM CLOUD

PORCELAIN
 STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



SEA WAVE




TURQUOISE STRIATION

△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT








EMPEROR BROWN




EMERALD GOLD

**PORCELAIN
 STONEWARE**

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



CAPRI SILVER




EMPERADOR BRONZE

△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT











WINTER LAKE



GREEN ONYX

**PORCELAIN
 STONEWARE**

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



DARK BLUE STORMY




GREY STORM

△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT




ONYX ORANGE




ROSSO FRANCIA

PORCELAIN
 STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



AQUA FLAME




METAMORPHIC ROCK


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT











NATURAL TURQUOISE



ELECTRA BLUE

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



BROWN BURNT




GOLD PEACH ONYX


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT




DARK BLUE SLATE




SPIDER GREEN

PORCELAIN
 STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



MOSAIC JUNGLE




DARK TURQUOISE

△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT












GREEN MADAGASCAR




AQUA FROST

**PORCELAIN
 STONEWARE**

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



TAN BROWN




BLUE SILK


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT












WALNUT BURL WOOD




ELECTRIC EEL

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



METAL GREEN



CORAL BLUE


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT












FIRE RED




CORAL GREY

**PORCELAIN
 STONEWARE**

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



BLUE EMBER




TIFFANY BLUE


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT












MINT GREEN ONYX



RED NECTAR

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



ONYX GREEN



GOLDEN SPIDER

△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT












CELERY ONYX




RUSTIC TEAL

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



GREEN AGATE




MULTY AGATE


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT











RED AGATE




BLOSTER BLUE

**PORCELAIN
 STONEWARE**

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



SEAFOAM AQUA




SEAFOAM GREEN


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT




HEVEN BRONZE




GREEN GOLD VEINS

**PORCELAIN
 STONEWARE**

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



NUVOLATO CALCATTA



BLUE AGATE

△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT













AUTUMN GREEN




AUTUMN RED

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



BLUE MARINE




MEXICAN MODERNIST


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT











BLUE RUSTIC METAL




GRANITE GREEN

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



BRECCIA IMPERIALE




WHITE RED VEINS


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT




ANTIQUE BLACK




ASHPAR BLUE

PORCELAIN
 STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



BLACK MARQUINA



BLACKBERRY


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT












CHARCOAL BLACK



COLONIAL BLACK

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



DAZZEL




DOLOMITE

top notch tiles
Class in every Square


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT












LAMBERT



LITHOS BLUE

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



MOROCCO BLUE



PORTORO BLACK


△ FINISHES
 SUPER HIGH GLOSS

≡ THICKNESS
 9 MM

↔ FORMAT











PRESTIGE GOLD




QUINA BLUE

PORCELAIN
 STONEWARE

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



RAINFOREST BLACK




RIVONA BLACK


FINISHES
 SUPER HIGH GLOSS

THICKNESS
 9 MM










FORMAT



SAINT LAURENT



WIND NATURAL

-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING

Technical Specification /

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP BLA	OUR VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & width	±0.5%	±0.3%	ISO-10545-2
Deviation in thickness	±0.5%	±0.4%	ISO-10545-2
Straightness in side	±0.5%	±0.1%	ISO-10545-2
Rectangularity	±0.5%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	ISO-10545-2
Color Difference	Uniternd	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90%	GLOSSO METER
Structural Properties			
Water absorption	<0.50%	<0.05%	ISO-10545-3
Apparent density	>2.0g/cc	>2.10g/cc	DIN 51082
Messavie Mechanical Properties			
Modulu's of repture	-Min.35N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1800 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
Surface mechanical Properties			
Resistance to surface abrasion (PEI rating)	As per mfg.	Min. Class-5	ISO-10545-7
MOH's hardness	As per mfg.	Min. 5	EN 101
Thermo Hygromrtric Properties			
Frost Resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Mosture expansion	Null	Null	ISO-10545-10
Thermal expansion (COE)	Max.9.0x10	Max. 6.5x10 ⁹	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
Chemical Properties			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Min. Class5	ISO-10545-14
Safety Properties			
Slip resistance	As per mfg.	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmum given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15

Packing Detail /

SIZE	PIECES/BOX	AREA/BOX	WEIGHT/BOX (Approx)
60x120cm	2 pcs.	1.44 Sq.Mtr.	38 Kgs.



e-mail : contact@topnotchtiles.com
web : www.topnotchtiles.com